

Live Area: 22.75"w x 95"h with 0.5" bleed TOP 0.75" bleed SIDES Finished Size: 24.25"w x 96"h

Sew hook Velcro into front perimeter of graphic


Live Area: 69.25"w x 95"h with 0.5" bleed around perimeter Finished Size: 70.25"w x 96"h

Sew hook Velcro into front perimeter of graphic

## NOTE: Graphic files must be @ 150 dpi Finished Size.

*DO NOT* send Flattened Files. Production can not manipulate the content, proportion or color of these files.

Product Name: Perfect 10
Process: HD
Material: Poly Knit 9
Effective Date: 09/23/2014




## Finishing

Sew 1/2" Velcro to front perimeter of graphic


- A The 4 corner notches are cut 1/2" in from the edge and 1/4"h x 3/4"w
- B For the side notches measure 31" up from the bottom of the graphic. Notch is 2.25"h x 0.25"w.
- C Measure up an additional 13.875" from the top edge of the first notch. Notch is 3"h x 0.25"w

NOTE: These dimensions are for graphic layout purposes. Graphic needs to be cut and test fitted to P10 frame.

page 1 of 4



A small portion of your graphic(s) may be hidden by P10 accessories, such as Headers. Please use these diagrams to



Note: Please refer to Backwall Graphic Dims page for complete instructions for Left Side fabric graphic.

Product Name: Perfect 10


Process: Print on

Material: 1/4" Sintra

Effective Date: 03/12/2014


page 3 of 4

A small portion of your graphic(s) may be hidden by P10 accessories, such as Monitors and Cubby Counters. Please use these diagrams to position your graphics correctly. Product Name: Perfect 10 Process: HD Material: Poly Knit 9 Effective Date: 03/12/2014



Note: When adding Monitors to the P10 unit, a portion of the graphic will be covered. Please design graphic layout according to desired Monitor Location.

See Header Graphic Dims for header locations.



See Header Graphic Dims for header locations.